

Инструкция по эксплуатации

Конвектор-электрокамин Vitek 2145 BK

Цены на товар на сайте:

http://www.vseinstrumenti.ru/klimat/obogrevateli/konvektory/elektricheskie/vitek/2145_bk/

Отзывы и обсуждения товара на сайте:

http://www.vseinstrumenti.ru/klimat/obogrevateli/konvektory/elektricheskie/vitek/2145_bk/#tab-Responses

ENGLISH

Fan heater-electric fireplace VT-2145

Instruction manual

- Description
- "TEMP" thermostat knob
 - "HEAT" operating modes switch
 - Grid
 - Fireplace flame burning imitation
 - Power on indicator
 - "FLAME" brightness modes switch
 - Mounting brackets for fastening on the wall
 - Mounting brackets for fastening of the supporting wheels
 - Supporting wheels

Attention!


For additional protection it is recommended to install a residual current device with nominal current of operation, not exceeding 30 mA into the mains of the heater; while installation, refer to a specialist.

Safety measures

Before switching on the unit, read these instructions carefully. Keep these instructions during the whole operation period.

- Use the unit only for its intended purposes as stated in this manual.
- Before switching on the appliance for the first time, make sure that the voltage of the electric network corresponds to the operating voltage of the unit.
- The power cord is equipped with a "euro plug"; connect it to the socket with a secure ground.
- In order to avoid risk of fire, do not use adaptors while connecting the appliance to the outlet.
- In order to avoid network overloading, provide the unit with other electrical appliances with higher power consumption are connected to the same outlet the unit is connected to.
- When mounting the unit on the wall, place it in a way that the socket should be below the unit and easy to access.
- When mounting the unit on the wall, the distance from the floor should be at least 15 cm, and from the front and upper panels till the objects should be not less than 50 mm, the distance from the side panels till the objects should be not less than 10 cm.
- Do not use the unit in bathrooms or in places with high humidity.
- Place the unit at the distance at least 1.5 meters from open fire sources and bowls with water.
- Provide that water does not get on the body of the unit.
- If some water fell on the unit, before touching it wait to take the plug out of the socket and then wipe the drops out.
- Do not use the unit outdoors.
- When using the supporting wheels, place the unit on the flat, stable surface.
- Do not use the unit in the rooms where inflammable substances are kept or used.
- Do not switch on the unit for the sleep time and do not place it near a sleeping person.
- Do not cover the unit during operation.
- Avoid blocking of the openings of the unit by any objects or interior elements of the room.
- Do not insert any foreign objects in the grid of the unit in order to avoid getting injuries and damaging the unit.
- Do not turn the unit over during its operation.
- Move the unit holding plastic parts only.
- Do not allow children to use the unit as a toy.
- Close supervision is necessary when the unit is used near children or disabled persons.
- This unit is not intended for usage by children or disabled persons unless they are given by the authorized service center to check and repair all the necessary instructions on safety measures and information about danger which can be caused by improper usage of the unit.
- Never leave the operating unit unattended.
- Always unplug the unit if it is not being used or before cleaning.
- To unplug the unit always take its plug, do not pull the power cord.
- Do not touch the power plug with wet hands.
- Provide that the power cord does not contact with any sharp edges.
- Never wind the power cord around the unit.
- Regularly check the power cord integrity.
- Do not use the unit if the plug or the power cord is damaged, if the unit malfunctions or in case of some damage. In this case contact the authorized service center to check and repair the unit. Do not repair the unit yourself.
- The unit is intended for household usage only.

Вариант 1 – Напольная установка



- When using the unit for the first time, the heating element burns, some smoke and foreign odor can appear, it is normal.
- Do not open the doors and the windows when the unit is operating. There should be good heat-insulation in the room; otherwise you will not get the desired results, due to cold air flow.

Automatic emergency switching off function

- The fan heater is equipped with the automatic emergency switching off function.
- If the unit starts overheating, automatic thermal switch will be on.
- In this case immediately set the switch (2) "HEAT" to the "stop" position.
- Take the plug out of the socket.
- Make sure that the openings of the grid (3) are not closed and nothing prevents air flow.
- Let the fan heater cool off for about 20 minutes before switching it on again.
- Plug the appliance, set the room heating temperature again, by turning the thermostat knob (1) "TEMP" clockwise. If the unit does not switch on, it may mean that there is any damage in the unit. In this case contact the authorized service center for repair.

Cleaning and care

- Before cleaning unplug the unit and let it cool down.
- Wipe the unit regularly to avoid dust accumulation.
- Wipe the outer surface of the unit with a damp cloth. Do not use abrasive substances to remove dirt.
- Do not immerse the fan heater into water or any other liquids. Provide that liquid does not get into the fan heater body in order to avoid electric shock.
- To clean the grid (3) use a vacuum cleaner with a corresponding attachment.
- After cleaning put the fan heater in the box and keep in a dry cool place out of reach of children.

Specifications

Power supply 220-240 V ~ 50 Hz
Power consumption 1500 W

Service life is – 5 years

The manufacturer preserves the right to change the design and specifications of the unit without a preliminary notification.

Guarantee

Details regarding guarantee conditions can be obtained from the dealer from whom the appliance was purchased. The bill of sale or receipt must be produced when making any claim under the terms of this guarantee.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on the supporting wheels (9).

Before first usage

ATTENTION! Portable electric heaters are intended for additional heating of the rooms. They are not intended for operation as main heating devices.

- Take the unit out of the packaging which can be used for storage of the unit.
- Make sure that the (2) "HEAT" switch is in the "stop" position.

Option 1 – Floor-mounted installation

- Insert the supporting wheels into the openings of the brackets (8) and fix them with screw nuts, supplied with the unit.
- Turn over the unit.
- Fix the brackets (8) with the supporting wheels (9) using fastening screws (pic. 1).
- Place the unit on

