



AP 1600-180.1





- 1.
- 2.
- 3.
- 4.
- 5.
- 6.



« »

ALTECO AP1600-

180.1.

1.

1.1.

ALTECO AP1600-180.1 ()

1.2.

1.3.

220

50

1.4.

-

-

25°

1° 35° ;
80%

1.5.



- 2.
- 2.1.
- 1.

	220
	50
	1400
	300-3000
	180
	2
	+
	+
	+
() ,	3,75

2.2.
ALTECO AP1600-180.1

II



3.

« »

!

3.1.

3.2.

80%.

() ,

3.3.



!

3.4.

3.5.

3.6.

3.7.

« ».

3.8.

3.9.

3.10.



3.11.

3.12.

« » « (. 2 »).

3.13.

!

.1.1 « ».

3.14.

3.15.

3.16.

3.17.

3.18.



4.
4.1.
4.1.1. 220 50
4.1.2. _____

4.1.3. _____ (_____)
4.2. _____ !

4.2.1. _____
4.2.2. _____ ±10%

4.2.3. 220 _____




4.2.4.

).
4.2.5.

1,5 2

15



- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.



6.

6.1.

6.1.1.

6.1.2.

6.1.3.

6.1.4.

6.2.

6.2.1.

6.2.2.

6.2.3.

6.3.

6.3.1.



6.3.2.

:

-

;

-

;

-

6.4.

9.4.1.

!



1.		
2.		
3.		
4.		
5.		2÷3
6.		
		5.2.5.



7.

- 12

- 5

1.



1. «

».

(-)

2. :

- ;

- ;

- (

-).

3. (

),

:



4.

:

,

,

.

:

«

».

:



8 (7172) 55-44-40 , 8/1

8 (727) 311-77-00 , 157

8 (7252) 53-94-18 111

8 (7122) 55 66 00 , 45

КОНТАКТ ЦЕНТРЫ

АСТАНА 8 (7172) 55 44 40

АЛМАТЫ 8 (727) 331 77 00

ШЫМКЕНТ 8 (7252) 99 77 11

АТЫРАУ 8 (7122) 55 66 00

www.tssp.kz

TSSP

ПРЕВЫШАЯ СТАНДАРТЫ

