







COD	CONO	d	H	D	BILANCIATURA	1 - GRANO
140WHN06	ISO40	6	50	25	G6.3 12000	1 x 100601002
140WHN08	ISO40	8	50	28	G6.3 12000	1 x 100801002
140WHN10	ISO40	10	50	35	G6.3 12000	1 x 101001202
140WHN12	ISO40	12	50	42	G6.3 12000	1 x 101201602
140WHN14	ISO40	14	50	44	G6.3 12000	1 x 101201602
140WHN16	ISO40	16	63	48	G6.3 12000	1 x 101401602
140WHN18	ISO40	18	63	50	G6.3 12000	1 x 101401602
140WHN20	ISO40	20	63	52	G6.3 12000	1 x 101601602
140WHN25	ISO40	25	100	65	G6.3 12000	2 x 101802002
140WHN32	ISO40	32	100	72	G6.3 12000	2 x 102002002
140WHN40	ISO40	40	115	80	G6.3 12000	2 x 102002002
150WHN06	ISO50	6	63	25	G6.3 12000	1 x 100601002
150WHN08	ISO50	8	63	28	G6.3 12000	1 x 100801002
150WHN10	ISO50	10	63	35	G6.3 12000	1 x 101001202
150WHN12	ISO50	12	63	42	G6.3 12000	1 x 101201602
150WHN14	ISO50	14	63	44	G6.3 12000	1 x 101201602
150WHN16	ISO50	16	63	48	G6.3 12000	1 x 101401602
150WHN18	ISO50	18	63	50	G6.3 12000	1 x 101401602
150WHN20	ISO50	20	63	52	G6.3 12000	1 x 101601602
150WHN25	ISO50	25	80	65	G6.3 12000	2 x 101802002
150WHN32	ISO50	32	100	72	G6.3 12000	2 x 102002002
150WHN40	ISO50	40	120	80	G6.3 12000	2 x 102002002




COD	CONO	d	H	D	1 - GRANO	2 - GRANO INTERNO
140WN206	ISO40	6	100	25	1 X 100601002	100501601
140WN208	ISO40	8	100	28	1 X 100801002	100601601
140WN210	ISO40	10	100	35	1 X 101001202	100801601
140WN212	ISO40	12	100	42	1 X 101201602	101002501
140WN214	ISO40	14	100	44	1 X 101201602	101002501
140WN216	ISO40	16	100	48	1 X 101401602	101204001
140WN218	ISO40	18	100	50	1 X 101401602	101204001
140WN220	ISO40	20	100	50	1 X 101601602	101603501
150WN206	ISO50	6	100	25	1 X 100601002	100501601
150WN208	ISO50	8	100	28	1 X 100801002	100601601
150WN210	ISO50	10	100	35	1 X 101001202	100801601
150WN212	ISO50	12	100	42	1 X 101201602	101002501
150WN214	ISO50	14	100	44	1 X 101201602	101002501
150WN216	ISO50	16	100	48	1 X 101401602	101204001
150WN218	ISO50	18	100	50	1 X 101401602	101204001
150WN220	ISO50	20	100	52	1 X 101601602	101603501
150WN225	ISO50	25	100	65	2 X 101802002	102002001




COD	CONO	d	H	D	BILANCIATURA	1 - GRANO
340WHN06	ISO40	6	50	25	G6.3 12000	1 x 100601002
340WHN08	ISO40	8	50	28	G6.3 12000	1 x 100801002
340WHN10	ISO40	10	63	35	G6.3 12000	1 x 101001202
340WHN12	ISO40	12	63	42	G6.3 12000	1 x 101201602
340WHN14	ISO40	14	63	44	G6.3 12000	1 x 101201602
340WHN16	ISO40	16	63	48	G6.3 12000	1 x 101201602
340WHN18	ISO40	18	63	50	G6.3 12000	1 x 101201602
340WHN20	ISO40	20	63	52	G6.3 12000	1 x 101201602
340WHN25	ISO40	25	90	65	G6.3 12000	2 x 101802002
340WHN32	ISO40	32	100	72	G6.3 12000	2 x 102002002
340WHN40	ISO40	40	107	80	G6.3 12000	2 x 102002002
350WHN06	ISO50	6	63	25	G6.3 12000	1 x 100601002
350WHN08	ISO50	8	63	28	G6.3 12000	1 x 100801002
350WHN10	ISO50	10	70	35	G6.3 12000	1 x 101001202
350WHN12	ISO50	12	80	42	G6.3 12000	1 x 101201602
350WHN14	ISO50	14	80	44	G6.3 12000	1 x 101201602
350WHN16	ISO50	16	80	48	G6.3 12000	1 x 101201602
350WHN18	ISO50	18	80	50	G6.3 12000	1 x 101201602
350WHN20	ISO50	20	80	52	G6.3 12000	1 x 101201602
350WHN25	ISO50	25	100	65	G6.3 12000	2 x 101802002
350WHN32	ISO50	32	105	72	G6.3 12000	2 x 102002002
350WHN40	ISO50	40	120	80	G6.3 12000	2 x 102002002




COD	CONO	d	H	D	1 - GRANO	2 - GRANO INTERNO
340WN206	ISO40	6	100	25	1 X 100601002	100501601
340WN208	ISO40	8	100	28	1 X 100801002	100601601
340WN210	ISO40	10	100	35	1 X 101001202	100801601
340WN212	ISO40	12	100	42	1 X 101201602	101002501
340WN214	ISO40	14	100	44	1 X 101201602	101002501
340WN216	ISO40	16	100	48	1 X 101401602	101204001
340WN218	ISO40	18	100	50	1 X 101401602	101204001
340WN220	ISO40	20	100	52	1 X 101601602	101603501
350WN206	ISO50	6	100	25	1 X 100601002	100501601
350WN208	ISO50	8	100	28	1 X 100801002	100601601
350WN210	ISO50	10	100	35	1 X 101001202	100801601
350WN212	ISO50	12	100	42	1 X 101201602	101002501
350WN214	ISO50	14	100	44	1 X 101201602	101002501
350WN216	ISO50	16	100	48	1 X 101401602	101204001
350WN218	ISO50	18	100	50	1 X 101401602	101204001
350WN220	ISO50	20	100	52	1 X 101601602	101603501




COD	CONO	d	H	D	1 - GRANO	2 - GRANO INTERNO
540WHN06	ISO40	6	50	25	1 X 100601002	500100001
540WHN08	ISO40	8	50	28	1 X 100801002	500100001
540WHN10	ISO40	10	50	35	1 X 101001202	500100001
540WHN12	ISO40	12	50	42	1 X 101201602	500100001
540WHN14	ISO40	14	50	44	1 X 101201602	500100001
540WHN16	ISO40	16	63	48	1 X 101401602	500100001
540WHN18	ISO40	18	63	50	1 X 101401602	500100001
540WHN20	ISO40	20	63	52	1 X 101601602	500100001
540WHN25	ISO40	25	90	65	2 X 101802002	500100001
540WHN32	ISO40	32	90	72	2 X 102002002	500100001
550WHN06	ISO50	6	50	25	1 X 100601002	500100002
550WHN08	ISO50	8	50	28	1 X 100801002	500100002
550WHN10	ISO50	10	63	35	1 X 101001202	500100002
550WHN12	ISO50	12	63	42	1 X 101201602	500100002
550WHN14	ISO50	14	63	44	1 X 101201602	500100002
550WHN16	ISO50	16	63	48	1 X 101401602	500100002
550WHN18	ISO50	18	63	50	1 X 101401602	500100002
550WHN20	ISO50	20	63	52	1 X 101601602	500100002
550WHN25	ISO50	25	80	65	2 X 101802002	500100002
550WHN32	ISO50	32	85	72	2 X 102002002	500100002
550WHN40	ISO50	40	95	80	2 X 102002002	500100002



COD	CONO	d	H	D	BILANCIATURA	1 - GRANO
65AWHN06	HSK50/A	6	80	25	G6.3 15000	1 x 100601002
65AWHN08	HSK50/A	8	80	28	G6.3 15000	1 x 100801002
65AWHN10	HSK50/A	10	80	35	G6.3 15000	1 x 101001202
65AWHN12	HSK50/A	12	90	42	G6.3 15000	1 x 101201602
65AWHN14	HSK50/A	14	90	44	G6.3 15000	1 x 101201602
65AWHN16	HSK50/A	16	90	48	G6.3 15000	1 x 101401602
65AWHN18	HSK50/A	18	90	50	G6.3 15000	1 x 101401602
65AWHN20	HSK50/A	20	100	52	G6.3 15000	1 x 101601602
65AWHN25	HSK50/A	25	110	65	G6.3 15000	2 x 101802002
65AWHN32	HSK50/A	32	120	72	G6.3 15000	2 x 102002002
66AWHN06	HSK63/A	6	80	25	G6.3 15000	1 x 100601002
66AWHN08	HSK63/A	8	80	28	G6.3 15000	1 x 100801002
66AWHN10	HSK63/A	10	80	35	G6.3 15000	1 x 101001202
66AWHN12	HSK63/A	12	90	42	G6.3 15000	1 x 101201602
66AWHN14	HSK63/A	14	90	44	G6.3 15000	1 x 101201602
66AWHN16	HSK63/A	16	100	48	G6.3 15000	1 x 101401602
66AWHN18	HSK63/A	18	100	50	G6.3 15000	1 x 101401602
66AWHN20	HSK63/A	20	100	52	G6.3 15000	1 x 101601602
66AWHN25	HSK63/A	25	110	63	G6.3 15000	2 x 101802002
66AWHN32	HSK63/A	32	110	72	G6.3 15000	2 x 102002002
61AWHN06	HSK100/A	6	90	25	G6.3 15000	1 x 100601002
61AWHN08	HSK100/A	8	90	28	G6.3 15000	1 x 100801002
61AWHN10	HSK100/A	10	90	35	G6.3 15000	1 x 101001202
61AWHN12	HSK100/A	12	100	42	G6.3 15000	1 x 101201602
61AWHN14	HSK100/A	14	100	44	G6.3 15000	1 x 101201602
61AWHN16	HSK100/A	16	100	48	G6.3 15000	1 x 101401602
61AWHN18	HSK100/A	18	100	50	G6.3 15000	1 x 101401602
61AWHN20	HSK100/A	20	110	52	G6.3 15000	1 x 101601602
61AWHN25	HSK100/A	25	120	65	G6.3 15000	2 x 101802002
61AWHN32	HSK100/A	32	120	72	G6.3 15000	2 x 102002002
61AWHN40	HSK100/A	40	120	80	G6.3 15000	2 x 102002002



COD	CONO	d	H	D	BILANCIATURA	1 - GRANO
65EWHN06	HSK50/E	6	80	25	G2.5 20000	1 x 100601002
65EWHN08	HSK50/E	8	80	28	G2.5 20000	1 x 100801002
65EWHN10	HSK50/E	10	80	35	G2.5 20000	1 x 101001202
65EWHN12	HSK50/E	12	30	42	G2.5 20000	1 x 101201602
65EWHN14	HSK50/E	14	30	44	G2.5 20000	1 x 101201602
65EWHN16	HSK50/E	16	100	48	G2.5 20000	1 x 101401602
65EWHN18	HSK50/E	18	100	50	G2.5 20000	1 x 101401602
65EWHN20	HSK50/E	20	100	52	G2.5 20000	1 x 101601602
65EWHN25	HSK50/E	25	110	65	G2.5 20000	2 x 101802002
65EWHN32	HSK50/E	32	120	72	G2.5 20000	2 x 102002002
66EWHN06	HSK63/E	6	65	25	G2.5 20000	1 x 100601002
66EWHN08	HSK63/E	8	65	28	G2.5 20000	1 x 100801002
66EWHN10	HSK63/E	10	65	35	G2.5 20000	1 x 101001202
66EWHN12	HSK63/E	12	80	42	G2.5 20000	1 x 101201602
66EWHN14	HSK63/E	14	80	44	G2.5 20000	1 x 101201602
66EWHN16	HSK63/E	16	80	44	G2.5 20000	1 x 101401602
66EWHN18	HSK63/E	18	80	50	G2.5 20000	1 x 101401602
66EWHN20	HSK63/E	20	80	52	G2.5 20000	1 x 101601602
66EWHN25	HSK63/E	25	100	65	G2.5 20000	2 x 101802002
66EWHN32	HSK63/E	32	100	72	G2.5 20000	2 x 102002002



COD	CONO	d	H	D	BILANCIATURA	1 - GRANO
65FWHN06	HSK50/F	6	80	25	G2.5 20000	1 x 100601002
65FWHN08	HSK50/F	8	80	28	G2.5 20000	1 x 100801002
65FWHN10	HSK50/F	10	80	35	G2.5 20000	1 x 101001202
65FWHN12	HSK50/F	12	90	42	G2.5 20000	1 x 101201602
65FWHN14	HSK50/F	14	90	44	G2.5 20000	1 x 101201602
65FWHN16	HSK50/F	16	100	48	G2.5 20000	1 x 101401602
65FWHN18	HSK50/F	18	100	50	G2.5 20000	1 x 101401602
65FWHN20	HSK50/F	20	100	52	G2.5 20000	1 x 101601602
65FWHN25	HSK50/F	25	110	65	G2.5 20000	2 x 101802002
65FWHN32	HSK50/F	32	120	72	G2.5 20000	2 x 102002002
66FWHN06	HSK63/F	6	80	25	G2.5 20000	1 x 100601002
66FWHN08	HSK63/F	8	80	28	G2.5 20000	1 x 100801002
66FWHN10	HSK63/F	10	80	35	G2.5 20000	1 x 101001202
66FWHN12	HSK63/F	12	90	42	G2.5 20000	1 x 101201602
66FWHN14	HSK63/F	14	90	44	G2.5 20000	1 x 101201602
66FWHN16	HSK63/F	16	100	48	G2.5 20000	1 x 101401602
66FWHN18	HSK63/F	18	100	50	G2.5 20000	1 x 101401602
66FWHN20	HSK63/F	20	100	52	G2.5 20000	1 x 101601602
66FWHN25	HSK63/F	25	110	65	G2.5 20000	2 x 101802002
66FWHN32	HSK63/F	32	115	72	G2.5 20000	2 x 102002002