



DELTA line, aluminum-metallic frame 1-fold, 80x 80 mm

Model				
product brand name	DELTA LINE			
product designation	Frame			
design of cover frame flush design	No			
General technical data				
surface processing	others			
material	thermoplastic			
Protection class				
protection class IP	IP20			
Suitability				
suitability for integration				
• built-in installation		No		
• device installation duct		No		
• underfloor duct box		No		
• flush mounting	Yes			
Appearance				
appearance	shiny			
RAL color number	9006			
color	Aluminum metallic			
Product details				
product component				
• labeling field		No		
• hinged lid	No			
product feature				
• halogen-free		Yes		
• transparent	No			
Number				
number of units	1			
Mechanical Design				
height	80 mm			
width	80 mm			
fastening method	terminal mounting			
mounting position	horizontal and vertical			
material of cover frame	plastic			
General Product Approval		Declaration of Con- formity	Test Certificates	other



other

[Confirmation](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG2551-3>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TG2551-3>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG2551-3

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



