




TAŚMA LED FLASH
LED STRIP FLASH
СВЕТОДИОДНАЯ ЛЕНТА FLASH



PARAMETRY / CHARACTERISTICS / ХАРАКТЕРИСТИКИ



PAKOWANIE / PACKING / УПАКОВКА




TAŚMA LED FLASH 12 V / LED STRIP FLASH 12 V / СВЕТОДИОДНАЯ ЛЕНТА FLASH 12 V

						 mm	 cm	 cm
LD-3528-300-20-ZB	12 VDC 24 W	300 lm/m	 6500 K	20	120°	8	60/m	5
LD-3528-300-20-NE4P			 4000 K					
LD-3528-300-20-CB			 3200 K					
LD-3528-300-65-ZB		280 lm/m	 6500 K	65				
LD-3528-300-65-CB			 3200 K					
LD-3528-300-20-NI		–	niebieski / blue / синий.	20				
LD-3528-600-20-ZB	12 VDC 48 W	550 lm/m	 6500 K			20		
LD-3528-600-20-CB			 3200 K					
LD-3528-600-65-ZB		520 lm/m	 6500 K	65				
LD-3528-600-65-CB			 3200 K					
LD-2835-300-20-ZB	12 VDC 30 W	750 lm/m	 6500 K	20				
LD-2835-300-20-NE4P			 4000 K					
LD-2835-300-20-CB			 3200 K					
LD-2835-300-65-ZB		700 lm/m	 6500 K	65				
LD-2835-300-65-CB			 3200 K					
LD-2835-300-20-ZBN	12 VDC 33 W	850 lm/m	 6500 K	20				
LD-2835-300-20-NE4N			 4000 K					
LD-2835-300-20-CBN			 3200 K					
LD-2835-300-65-ZBN		730 lm/m	 6500 K	65				
LD-2835-300-65-NE4N			 4000 K					
LD-2835-300-65-CBN			 3200 K					
LD-2835-600-20-ZB	12 VDC 60 W	1600 lm/m	 6500 K	20				
LD-2835-600-20-NE4			 4000 K					
LD-2835-600-20-CB			 3200 K					
LD-2835-600-65-ZB		1350 lm/m	 6500 K	65				
LD-2835-600-65-CB			 3200 K					




											
LD-2835-600-5MM-20-ZB	12 VDC 33 W	750 lm/m	 6500 K	20	120°	5	120/m	2,5			
LD-2835-600-5MM-20-NE4			 4000 K								
LD-2835-600-5MM-20-CB			 3200 K								
LD-2835-60-60-20-CCT	12 VDC 30 W	700 lm/m	 3200 K -  6500 K			8		5			
LD-5050-300-20-ZB	12 VDC 72 W	900 lm/m	 6500 K	65		10	60/m	5			
LD-5050-300-20-CB			 3200 K								
LD-5050-300-65-ZB		850 lm/m	 6500 K								
LD-5050-300-65-CB			 3200 K								
LD-5630-300-20-ZB	12 VDC 80 W	1750 lm/m	 6500 K	20					10	240/m	1,25
LD-5630-300-20-CB			 3200 K								
LD-5630-300-65-ZB		1700 lm/m	 6500 K	65							
LD-5630-300-65-CB			 3200 K								
LD-3014-1200-20-ZB	12 VDC 53 W	1300 lm/m	 6500 K	20			30/m	10			
LD-3014-1200-20-NE4			 4000 K								
LD-3014-1200-20-CB			 3200 K								
LD-RGB-150-20	12 VDC 36 W	450 lm/m	 RGB								
LD-RGB-150-65				65							


1




2




3




4




5



6



7



8

