


СВЕТОДИОДНЫЙ НАСТЕННО-ПОТОЛОЧНЫЙ СВЕТИЛЬНИК CL RCMS



Модель	EAN	Вт	лм	лм/Вт	К	PF	ø [мм]	В [мм]	
CL RCMS 18W 840 WT	4607194231539	18	1600	90	3000/ 4000/ 6500	≥0.5	290	47	450
CL RCMS 18W 840 BK	4607194231546								
CL RCMS 18W 840 WD	4607194231553								
CL RCMS 30W 840 WT	4607194231560	30	2750	95	3000/ 4000/ 6500	≥0.9	380	55	745
CL RCMS 30W 840 BK	4607194231577								
CL RCMS 30W 840 WD	4607194231584								

Питание	ч (L70)		CRI	IP	IK	⌈ (°C)	Комплектация	Гарантия, лет
230 В~ 50 Гц;	25000	115°	≥80	20	03	-20 C°... +40 C°	светильник, пульт, инструкция	2



NOT FOR PRINT
PRODUCTION!

WARNING:





This PDF file is for reference only and not to be used for the creation of production art.
Colour printouts and screen displays should not be used for colour approval as colours may vary from device to device. The colour values for this file are defined in either Pantone (PMS), HKS, or in process colours (GAP).
For obtaining hard-copies in actual size (1:1) you need to enter the proper settings in your printer options.

本品不可印刷生产

警告:

本PDF文档仅供参考, 不能将本文档用于印刷生产或制造样品。本文档的颜色打印版本或电脑屏幕中显示的颜色, 不可用于最终的颜色参照。因为硬件或设备的差异, 可能造成颜色的偏差。最终正式的色彩请遵照由国际色彩协会 (HKS) 或德国色彩协会 (Pantone) 所定义的颜色。若本文档的打印件要获取 1:1 的准确尺寸, 请在打印选项卡中作出相应的设置。





NOT FOR PRINT PRODUCTION!

WARNING:

This PDF file is for reference only and not to be used for the creation of production art.
Colour printouts and screen displays should not be used for colour approval as colours may vary from device to device. The colour values for this file are defined in either Pantone (PMS), HKS, or in process colours (CMYK). For obtaining hard-copies in actual size (1:1) you need to enter the proper settings in your printer options.

本品不可印刷生产

警告:

本PDF文档仅作为参考文件, 不能将本文档用于印刷生产或制作物料。本文档的颜色打印版本或其在电脑屏幕中显示的颜色, 不可用于最终的颜色参照。因为硬件或设备故障, 可能造成颜色的偏差。最终正式的颜色请遵循由哈曼华纳(HKS)或哈曼CMYK颜色系统所定义的颜色。若本文档的打印件要获取1:1的原始尺寸, 请在打印选项中选择相应的设置。



NOT FOR PRINT
PRODUCTION!




WARNING:

This PDF file is for reference only and not to be used for the creation of production art. Colour printouts and screen displays should not be used for colour approval as colours may vary from device to device. The colour values for this file are defined in either Pantone (PMS), HKS, or in process colours (CMYK). For obtaining hard-copies in actual size (1:1) you need to enter the proper settings in your printer options.

本品不可印刷生产

警告:

本PDF文档仅供参考, 不能将本文档用于印刷生产或制作样品。本文档的颜色打印和在其他电脑设备中显示的颜色, 不可用于最终的颜色参考。因为硬件或设备差异, 可能造成颜色的偏差。最终正式的颜色请参照供应商提供的PMS、HKS或CMYK, 通过印刷商定义的色板。若本文档的打印需要按照1:1的原始尺寸, 请在打印选项中选择相应的设置。



NOT FOR PRINT PRODUCTION!

WARNING:
The PDF file is for reference only and not to be used for the creation of production art.
Colour, penwork and screen displays should not be used for colour approval as colours may vary from device to device. The colour values for this file are defined in either Pantone (PMS), RGB, or in process colours (CMYK). For obtaining hard-copies in actual size (1:1) you need to enter the proper settings in your printer options.

本品不可印刷生产

警告:
本PDF文档仅供参考, 不能将本文档用于印刷生产或者制作印样。本文档的彩色打印版本与电脑屏幕中显示的颜色, 不可用于最终的色彩参照。因为硬件或设备的差异, 可能造成色彩的偏差。最终正式的色彩请遵照由色彩专业机构 (PMS) 或过程色 (CMYK) 等标准所定义的色值。若本文档的打印件要获取1:1的比例尺寸, 请在打印选项卡中作相应的设置。



вкл. — ON — **выкл.**


выбор цветовой температуры — WW — NW — CW — **выбор установки яркости**

плавное увеличение яркости — Δ — **плавное понижение яркости** — ∇

установка таймера на 30 минут —  — **таймер**

установка таймера на 1 час —  — **установка таймера на 4 часа** —  — **установка таймера на 2 часа** — 

удалите защитную пленку




защитная пленка

замена батарейки в пульте:

- 1 открутите болт отверткой
- 2 надавите на удерживающую клипсу
- 3 выньте лоток батарейки
- 4 замените батарейку
- 5 вставьте лоток обратно и закрутите болт

шаг 2 и 3 нужно выполнять одновременно




C10449057
G00000180RU
04.12.24

Изготовитель/ Өндүрүшү:
ЛЕДВАНС ГмбХ, 85748,
Германия, г. Гархинг,
Парклинг 29-33.
ledvance.ru